

1
2
3
4
5
6
7 UNITED STATES DISTRICT COURT
8 WESTERN DISTRICT OF WASHINGTON
9 AT SEATTLE

10 COSMOS GRANITE (WEST), LLC, a
11 Washington limited liability company,

12 Plaintiff,

13 v.

14 MINAGREX CORPORATION, d/b/a MGX
15 Stone,

16 Defendant.

17 Case No.: 2:19-cv-01697 RSM

18 ORDER GRANTING STIPULATED
19 MOTION TO EXTEND DEADLINE
20 TO ANSWER TO FIRST AMENDED
21 COMPLAINT

22 THIS MATTER came before the Court on the parties' Stipulated Motion to Extend
23 Deadline to Answer First Amended Complaint. The Court has reviewed the Motion, the pleadings
24 and files or record, as is fully advised,

25 NOW THEREFORE,

26 ORDER GRANTING STIPULATED MOTION TO EXTEND
27 DEADLINE TO ANSWER TO FIRST AMENDED COMPLAINT -
28 2:19-cv-01697

STOKES LAWRENCE, P.S.
1420 FIFTH AVENUE, SUITE 3000
SEATTLE, WASHINGTON 98101-2393
(206) 626-6000

1 IT IS HEREBY ORDERED, ADJUDGED AND DECREED that the deadline to Answer
2 the First Amended Complaint is extended to February 19, 2020.

3 DATED this 14th day of February 2020.

4
5
6 
7 RICARDO S. MARTINEZ
8 CHIEF UNITED STATES DISTRICT JUDGE

Presented by:

10 By: /s/ Raymond S. Weber

11 By: /s/ Rachael R. Wallace

12 Raymond S. Weber (WSBA #18207)

13 Rachael R. Wallace (WSBA #49778)

14 STOKES LAWRENCE, P.S.

15 1420 Fifth Avenue, Suite 3000

16 Seattle, WA 98101

17 (206) 626-6000

18 Fax: (206) 464-1496

19 Email: Ray.Weber@stokeslaw.com

20 Email: Rachael.Wallace@stokeslaw.com

21 Attorneys for Defendant Minagrex Corporation
22 d/b/a MGX Stone

23
24 ORDER GRANTING STIPULATED MOTION TO EXTEND
DEADLINE TO ANSWER TO FIRST AMENDED COMPLAINT -
2:19-cv-01697

STOKES LAWRENCE, P.S.
1420 FIFTH AVENUE, SUITE 3000
SEATTLE, WASHINGTON 98101-2393
(206) 626-6000

1 and

2
3 By: /s/ Rachel S. Black

4 Rachel S. Black (WSBA #32204)
5 SUSMAN GODFREY L.L.P.
6 1201 Third Avenue, Suite 3800
7 Seattle, WA 98101
8 (206) 516-3880
9 Fax: (206) 516-3883
10 Email: rblack@susmangodfrey.com

11
12
13
14
15
16
17
18
19
20
21
22
23
24 ORDER GRANTING STIPULATED MOTION TO EXTEND
DEADLINE TO ANSWER TO FIRST AMENDED COMPLAINT -
2:19-cv-01697